Progressive effects of alcohol		
BAC	Behavior	Impairment
0.001–0.029 0.030–0.059	 Average individual appears normal Mild euphoria Relaxation Joyousness Talkativeness 	 Subtle effects that can be detected with special tests Concentration
0.060-0.099	 Decreased inhibition Blunted feelings Reduced sensitivity to pain Euphoria Disinhibition Extroversion 	ReasoningDepth perceptionPeripheral visionGlare recovery
0.100-0.199	 Over-expression Boisterousness Possibility of nausea and vomiting 	 Reflexes Reaction time Gross motor control Staggering Slurred speech Temporary erectile dysfunction
0.200-0.299	 Nausea Vomiting Emotional swings Anger or sadness Partial loss of understanding Impaired sensations Decreased libido Possibility of stupor 	Severe motor impairment Loss of consciousness Memory blackout
0.300-0.399	 Stupor Central nervous system depression that can result in decreased rate of breathing, decreased heart rate, and loss of consciousness possibly leading to coma or death Loss of understanding Lapses in and out of consciousness Low possibility of death 	 Bladder function Respiratory depression Dysequilibrium (balance disorder, sensation of spinning or floating) Bradycardia (slowed heart rate)
0.400-0.500	 Severe central nervous system depression Coma Possibility of death 	 Respiratory depression Bradycardia (slowed heart rate) Positional alcohol nystagmus (visible jerkiness in eye movement when the head is placed in a sideways position)
>0.50	High risk of poisoningHigh possibility of death	